

**GENERAL RISK ASSESSMENT FORM**

Area Covered: **Customers and I.T.S Depot** Assessment Number: **1**  
 Activity Assessed: **Fitting of MHE Vehicle Tyres** Assessor/s: **Alan Clancy & Damien Kinsella**  
 Date of Assessment: **June 2019** Date of Planed Re-Assessment: **MAY 2020**

Hazard Identified	Current Controls	Hazard Factor	Risk Factor	Severity Factor	Remedial Action to be taken	Hazard Factor	Risk Factor	Severity Factor
Electric shock from press	Press inspection sheet to be completed before ever press job	100 Very high	5 Possible	500 Low		100 Very high	1 Very unlikely	100 Minimal
	P.A.T testing done as prescribed							
	R.C.D Breaker must be used.				continue to reinforce use of R.C.D			
	Cables/breakers to be inspected yearly and replaced if need be							
Ejection of tooling from press or other part from wheels	Regular checks on tooling during press inspection & update method statement May 2020	100 Very high	5 Possible	500 Low	Continue assessments and re-training if required	100 Very high	5 Possible	500 Low
	Bent or damaged tooling removed and repaired or replaced				Continue program of replacing kit with new tooling			
	Fitters trained in position to work from. Especially fitting P.O.B's							
	Legs have retaining system							
	Other people excluded from vicinity of press							
Eye injury for using hammer on steel	Checks on tooling and tools	50 Medium	1 Very unlikely	50	No action identified	50 Medium	1 very unlikely	50 minimal
	P.P.E Safety Glasses must be worn							
Falling object son feet or hand	P.P.E Gloves & Safety boots	50 Medium	5 Possible	250 Low	No further action identified	50 Medium	5 Possible	250 low
	Plates to be handled with 2 hands							

**GENERAL RISK ASSESSMENT FORM**

Comments:

Signature:

*USE ADDITIONAL SHEETS IF REQUIRED*

HAZARD FACTOR	
10 – Minimal	80- High
20 – Low	100 – Very High
50 – Moderate	

RISK FACTOR	
1 – Very Unlikely	35 – Probable
5 - Possible	50 - Certain
20 - Likely	

SEVERITY FACTOR	
0 – 50 – No Action	1000 - 1999 – Medium
51 – 199 – Minimal	2000 – 2999 – High
200 – 999 - Low	3000 + Immediate Action Req.